

AD-A137 385

CONNECTICUT ELF (EXTREMELY LOW FREQUENCY) FIELD
STRENGTH MEASUREMENTS MAR..(U) NAVAL UNDERWATER SYSTEMS
CENTER NEW LONDON CT NEW LONDON LAB.. P R BANNISTER


1/1

UNCLASSIFIED

11 JAN 84 NUSC-TR-7079

F/G 20/14 NL

END
DATE FILMED
2 84
DTIC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A


15

NUSC Technical Report 7079
11 January 1984

AD A 137385

Connecticut ELF Field Strength Measurements, March to May 1978

Peter R. Bannister
Submarine Electromagnetic
Systems Department



Naval Underwater Systems Center
Newport, Rhode Island / New London, Connecticut

DTIC FILE COPY

Approved for public release; distribution unlimited.

84 01 31 028

Preface

This report was prepared under NUSC Project No. A59007, "ELF Propagation RDT&E" (U), Principal Investigator, P. R. Bannister (Code 3411), Navy Program Element No. 11401N and Project No. X0792-SB, Naval Electronic Systems Command, Communications Systems Project Office, D. Dyson (Code PME-110), Program Manager ELF Communication Dr. B. Kruger (Code PME-110-X1).

The Technical Reviewer for this report was Raymond F. Ingram.

Reviewed and Approved: 11 January 1984



D. F. Dence
Head, Submarine Electromagnetic
Systems Department

The author of this report is located at the
New London Laboratory, Naval Underwater Systems Center,
New London, Connecticut 06320.

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER TR 7079	2. GOVT ACCESSION NO. AD-A137 385	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) CONNECTICUT ELF FIELD STRENGTH MEASUREMENTS, MARCH TO MAY 1978		5. TYPE OF REPORT & PERIOD COVERED
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Peter R. Bannister		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Underwater Systems Center New London Laboratory New London, Connecticut 06320		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS AS9007
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE 11 January 1984
		13. NUMBER OF PAGES
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) ELF Propagation Measurements Atypical Polarization Behavior Connecticut PCA Event Nighttime Fades		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) → From August 1976 to December 1978, extremely low frequency (ELF) field-strength measurements were taken continuously in Connecticut. The results of measurements taken from March through May 1978 are discussed in this report. During March, 5 dB, or greater, nighttime signal fades occurred during 46 percent of the measurement days. A comparison of the normal and abnormal Connecticut horizontal magnetic-field strengths during disturbed propagation conditions revealed atypical behavior. Field-strength measurements were also taken before, during, and after the 29 April PCA event (9.8 dB riometer absorption). ←		

TABLE OF CONTENTS

	Page
LIST OF ILLUSTRATIONS	ii
LIST OF TABLES	iv
GLOSSARY OF ABBREVIATIONS	iv
INTRODUCTION	1
CONNECTICUT MARCH 1978 MEASUREMENTS	1
CONNECTICUT APRIL 1978 MEASUREMENTS	5
CONNECTICUT MAY 1978 MEASUREMENTS	7
CONCLUSIONS	10
REFERENCES	19
APPENDIX A - CONNECTICUT DAILY DATA, MARCH 1978	A-1
APPENDIX B - CONNECTICUT DAILY DATA, APRIL 1978	B-1
APPENDIX C - CONNECTICUT DAILY DATA, MAY 1978	C-1



SEARCHED		INDEXED	
SERIALIZED		FILED	
APR 11 1978			
FBI - NEW YORK			
A-1			

LIST OF ILLUSTRATIONS

Figure		Page
1	Connecticut Field Strength Versus GMT, 9 to 10 and 10 to 11 March 1978	11
2	Connecticut Field Strength Versus GMT, 11 to 12 and 12 to 13 March 1978	12
3	Connecticut Field Strength Versus GMT, 13 to 14 and 14 to 15 March 1978	13
4	Connecticut Field Strength Versus GMT, 15 to 16, 16 to 17, and 17 to 18 March 1978	14
5	Comparison of Normal and Abnormal Horizontal Magnetic-Field Strengths, 17 to 18 March 1978	15
6	Connecticut Field Strength Versus GMT, 18 to 19 and 29 to 30 April 1978	16
7	Comparison of Normal and Abnormal Horizontal Magnetic-Field Strengths, 3 to 4 April 1978	17
8	Connecticut Nighttime Field Strengths Versus GMT, 28 April Through 7 May 1978	18
A-1	Connecticut Data Versus GMT ($\psi = 291$ deg), 3 March 1978	A-2
A-2	Connecticut Data Versus GMT ($\psi = 291$ deg), 4 March 1978	A-3
A-3	Connecticut Data Versus GMT ($\psi = 291$ deg), 5 March 1978	A-4
A-4	Connecticut Data Versus GMT ($\psi = 291$ deg), 6 March 1978	A-5
A-5	Connecticut Data Versus GMT ($\psi = 291$ deg), 7 March 1978	A-6
A-6	Connecticut Data Versus GMT ($\psi = 201$ deg), 8 and 9 March 1978	A-7
A-7	Connecticut Data Versus GMT ($\psi = 201$ deg), 10 and 11 March 1978	A-8
A-8	Connecticut Data Versus GMT ($\psi = 201$ deg), 12 and 13 March 1978	A-9
A-9	Connecticut Data Versus GMT ($\psi = 201$ deg), 14 and 15 March 1978	A-10
A-10	Connecticut Data Versus GMT ($\psi = 201$ deg), 16 Through 18 March 1978	A-11
A-11	Connecticut Data Versus GMT ($\psi = 291$ deg), 21 and 22 March 1978	A-12
A-12	Connecticut Data Versus GMT ($\psi = 291$ deg), 23 and 24 March 1978	A-13
A-13	Connecticut Data Versus GMT ($\psi = 291$ deg), 25 and 26 March 1978	A-14
A-14	Connecticut Data Versus GMT ($\psi = 291$ deg), 28 Through 30 March 1978	A-15
B-1	Connecticut Data Versus GMT ($\psi = 291$ deg), 1 and 2 April 1978	B-2

LIST OF ILLUSTRATIONS (Cont'd)

Figure		Page
B-2	Connecticut Data Versus GMT ($\psi = 291$ deg), 3 and 4 April 1978	B-3
B-3	Connecticut Data Versus GMT ($\psi = 291$ deg), 5 and 6 April 1978	B-4
B-4	Connecticut Data Versus GMT ($\psi = 291$ deg), 7 and 8 April 1978	B-5
B-5	Connecticut Data Versus GMT ($\psi = 291$ deg), 9 and 10 April 1978	B-6
B-6	Connecticut Data Versus GMT ($\psi = 291$ deg), 11 and 12 April 1978	B-7
B-7	Connecticut Data Versus GMT ($\psi = 291$ deg), 13 and 14 April 1978	B-8
B-8	Connecticut Data Versus GMT ($\psi = 291$ deg), 15 and 19 April 1978	B-9
B-9	Connecticut Data Versus GMT ($\psi = 291$ deg), 20 and 21 April 1978	B-10
B-10	Connecticut Data Versus GMT ($\psi = 291$ deg), 22 and 23 April 1978	B-11
B-11	Connecticut Data Versus GMT ($\psi = 291$ deg), 24 and 25 April 1978	B-12
B-12	Connecticut Data Versus GMT ($\psi = 291$ deg), 26 and 27 April 1978	B-13
B-13	Connecticut Data Versus GMT ($\psi = 291$ deg), 28 Through 30 April 1978	B-14
C-1	Connecticut Data Versus GMT ($\psi = 291$ deg), 1 Through 3 May 1978	C-2
C-2	Connecticut Data Versus GMT ($\psi = 291$ deg), 4 Through 6 May 1978	C-3
C-3	Connecticut Data Versus GMT ($\psi = 291$ deg), 7 Through 9 May 1978	C-4
C-4	Connecticut Data Versus GMT ($\psi = 291$ deg), 10 and 11 May 1978	C-5
C-5	Connecticut Data Versus GMT ($\psi = 291$ deg), 12 and 13 May 1978	C-6
C-6	Connecticut Data Versus GMT ($\psi = 291$ deg), 16 and 17 May 1978	C-7
C-7	Connecticut Data Versus GMT ($\psi = 291$ deg), 18 and 20 May 1978	C-8
C-8	Connecticut Data Versus GMT ($\psi = 291$ deg), 21 and 22 May 1978	C-9
C-9	Connecticut Data Versus GMT ($\psi = 291$ deg), 23 and 24 May 1978	C-10
C-10	Connecticut Data Versus GMT ($\psi = 291$ deg), 26 and 27 May 1978	C-11
C-11	Connecticut Data Versus GMT ($\psi = 291$ deg), 28 and 29 May 1978	C-12
C-12	Connecticut Data Versus GMT ($\psi = 291$ deg), 30 and 31 May 1978	C-13

LIST OF TABLES

Table		Page
1	March 1978 Connecticut Daily Field-Strength Averages	3
2	April 1978 Connecticut Daily Field-Strength Averages ($\psi = 291$ deg)	6
3	May 1978 Connecticut Daily Field-Strength Averages ($\psi = 291$ deg)	9

GLOSSARY OF ABBREVIATIONS

ELF	Extremely low frequency
EW	East-west
GMT	Greenwich Mean Time
LF	Low frequency
MEV	Million electron volts
NS	North-south
NUSC	Naval Underwater Systems Center
PCA	Polar cap absorption
SNR	Signal-to-noise ratio
S RTP	Sunrise transition period
SSTP	Sunset transition period
STIU	Signal timing and interface unit
VLF	Very low frequency
WTF	Wisconsin Test Facility

CONNECTICUT ELF FIELD-STRENGTH MEASUREMENTS, MARCH TO MAY, 1978

INTRODUCTION

Since June 1970, sporadically we have made farfield extremely low frequency (ELF) horizontal magnetic field-strength measurements in Connecticut.¹⁻¹³ The local measurement site from June 1970 to October 1971 was in the Nehantic State Forest, East Lyme, CT. From October 1971 through November 1975, it was located in Hammonasset State Park, Madison, CT. Since July 1976, the AN/BRS-1 ELF receiver has been located at the Naval Underwater Systems Center (NUSC), at New London, CT. The loop receiving antenna is now located at Fishers Island, NY, (about 10 km from New London). The receiver and receiving antenna are connected by means of a microwave link from Fishers Island to New London.

The AN/BSR-1 receiver is composed of an AN/UYK-20 minicomputer, a signal timing and interface unit (STIU), a rubidium frequency time standard, two magnetic tape recorders, and a preamplifier.

The transmission source for these 1.6-Mm range measurements is the U. S. Navy's ELF Wisconsin Test Facility (WTF), located in the Chequamegon National Forest in north-central Wisconsin, about 8 km south of the village of Clam Lake. The WTF consists of two 22.5-km antennas; one antenna is located approximately in the north-south (NS) direction and one is located approximately in the east-west (EW) direction. Each antenna is grounded at both ends. At 76 Hz, the electrical axis of the NS antenna is 14 deg east of north, while the electrical axis of the EW antenna is 114 deg east of north. The WTF array can be steered electrically toward any particular location and its radiated power is approximately 1 W.

In this report, we will discuss the results of the March through May, 1978, Connecticut measurements, which were taken to investigate further the diurnal and seasonal ELF propagation variations.

CONNECTICUT MARCH 1978 MEASUREMENTS

During this time period, data were obtained on 25 days at the Connecticut site. The daily plots of signal strength (both amplitude and relative phase), effective noise,* and signal-to-noise ratio (SNR) versus Greenwich Mean Time (GMT) (in 30-min increments) are presented in appendix A. The data are broken up into four time periods, which should be representative of nighttime, sunrise transition period (SRTP), daytime, and sunset transition period (SSTP) propagation conditions. From 8 to 18 March, the WTF antenna phasing angle, ψ ,

*The effective-noise spectrum level (in dBH = dBA/m $\cdot\sqrt{1}$ Hz) is defined as the spectrum level of ELF noise at the signal frequency divided by the improvement (in SNR) using nonlinear processing.¹⁴

was 201 deg. During the rest of the month, ψ was 291 deg. The transmitting frequency was 76 ± 4 Hz. As was mentioned in previous reports,^{4,7} the Connecticut effective-noise measurements are sometimes contaminated by industrial noise at the Fishers Island receiving site. Thus, the effective-noise values presented here are on the high side.

Presented in table 1 are the March 1978 Connecticut daily field-strength averages. For a WTF antenna phasing angle of 291 deg, the average Connecticut field strength should equal -143.3 dBA/m during the day, -144.4 dBA/m during the SRTP and SSTP, and -145.5 dBA/m at night.⁷ For $\psi = 201$ deg, the values should be 1 dB lower. Referring to table 1 and to the figures in appendix A, we see that, with the exception of the minimum nighttime field-strength period, the average field-strength levels are about as expected.

Amplitude peak-to-trough variations of 5 dB, or greater, occurred during 11 of the 24 measurement days (6, 11 through 18, 24, and 26 March). The largest variation (6.5 dB) occurred on 13 March. These variations are illustrated in figures 1 through 4* and in appendix A.

As was mentioned in a previous report,¹³ for the 1-yr period of August 1976 to July 1977, 5 dB, or greater, signal-strength fades occurred during 26 percent of the measurement days that included a nighttime measurement period. The most frequent nighttime fading occurred during March (48 percent) and September (45 percent). Referring to table 1 and appendix A, we see that 5 dB, or greater, signal-strength fades occurred during 46 percent of the measurement days, which is almost identical to the 48 percent that occurred during March 1977. In particular, these March 1978 nighttime field-strength fades occurred during 8 straight days (11 through 18 March).

Referring to figure 1, we see that on 9 to 10 March the field strength was essentially constant during the SSTP and the 0130-0600 nighttime measurement period. The field strength decreased ~2 dB by 0900 and, then, increased ~3 dB by the end of the SRTP. Meanwhile, the relative phase steadily increased ~15 deg from 0130 to 0830 and, then, steadily decreased ~40 deg by 1200.

During 11 March, the signal strength steadily decreased ~4.5 dB during the nighttime period of 0200 to 0930 and, then, steadily increased ~4 dB during the SRTP. Meanwhile, the nighttime relative phase increased ~20 deg from 0200 to 0830. The relative phase then decreased (by ~35 deg) to its normal daytime level by 1130.

The 11 to 12 and 12 to 13 March field strengths are plotted versus GMT in figure 2. Here, we see that, on 12 March, the nighttime field strength was essentially constant until 0430, then rapidly decreased ~4 dB by 0630. The field strength then steadily increased ~5 dB from 0500 to 1230. During 13 March, the nighttime field strength steadily decreased ~5 dB from 0330 to 0730, then steadily increased ~6 dB by the middle of the SRTP (1100). During both of these nights, the nighttime relative phase increased 10 to 20 deg from 0130 to 0600, then rapidly decreased 10 to 20 deg by 0730.

*All figures have been placed together at the end of this report or in the applicable appendix.

Table 1. March 1978 Connecticut Daily Field-Strength Averages

Date	ψ (deg)	SSTP H_{ϕ} (dBA/m)	Night H_{ϕ} (dBA/m)	SRTP H_{ϕ} (dBA/m)	Day H_{ϕ} (dBA/m)	Relative Phase (deg)	Peak/ Trough >5 dB
3/3	291	-144.0	-145.8	-144.2	-143.2	15.6	No
3/4	291	-143.8	-145.3	-144.9	-143.6	16.5	No
3/5	291	-144.6	-145.6	-144.8	-143.6	23.1	No
3/6	291	-144.9	-146.2	-145.2	-143.1	20.0	Yes
3/7	291	-144.4	-145.7	-144.7	-143.3	21.2	No
3/8	201	-145.9	-146.4	-145.5	-144.3	29.2	No
3/9	201	-145.4	-146.4	-146.1	-144.7	23.0	No
3/10	201	-145.9	-146.4	-145.5	-144.5	28.5	No
3/11	201	-145.8	-147.0	-146.8	-144.7	25.7	Yes
3/12	201	-145.9	-147.0	-145.5	-144.6	24.0	Yes
3/13	201	-145.6	-147.6	-145.3	-144.3	29.3	Yes
3/14	201	-145.6	-147.3	-145.2	-144.3	27.0	Yes
3/15	201	-145.5	-147.2	-145.2	-144.3	29.0	Yes
3/16	201	-145.8	-147.0	-145.0	-144.7	25.1	Yes
3/17	201	-145.2	-146.9	-144.8	-144.4	20.6	Yes
3/18	201	-144.9	-146.2	-144.4	-	28.6	Yes
3/21	291	-143.9	-145.6	-144.4	-143.3	24.9	No
3/22	291	-143.9	-145.7	-143.9	-143.3	26.9	No
3/23	291	-144.2	-145.5	-144.4	-143.1	27.6	No
3/24	291	-143.9	-145.9	-143.9	-143.5	27.2	Yes
3/25	291	-144.1	-145.4	-144.2	-143.3	26.6	No
3/26	291	-144.3	-145.8	-143.9	-143.1	24.0	Yes
3/28-3/29	291	-143.7	-145.1	-143.5	-143.3	20.4	No
3/30	291	-144.1	-145.6	-143.5	-143.2	21.0	No
3/3-3/7 Avg.	291	-144.3	-145.7	-144.7	-143.3	19.3	1/5
3/8-3/18 Avg.	201	-145.6	-146.8	-145.4	-144.5	26.4	8/11
3/21-3/30 Avg.	291	-144.0	-145.5	-144.0	-143.3	24.8	2/8
Monthly Avg.	Norm. to 291	-144.3	-145.7	-144.4	-143.4	24.4	11/24 (45.8%)

Referring to figure 3, we see that the 14 and 15 March nighttime field strengths decreased 3 to 4 dB, leveled off, then increased 3 to 4 dB by the end of the nighttime measurement period. Meanwhile, during both nights, the relative phase increased 15 to 20 deg by 0600, then decreased 15 to 20 deg by the end of the nighttime measurement period.

Presented in figure 4 are the 15 to 16, 16 to 17, and 17 to 18 March field strengths versus GMT. During 16 March, the field strength steadily decreased ~4 dB from 0200 to 0700, then steadily increased ~4 dB by the middle of the S RTP (1100). Meanwhile, the relative phase was essentially constant during the nighttime measurement period.

During 17 March, the field strength rapidly decreased ~5 dB from 0300 to 0530, then steadily increased ~5 dB from 0530 to 1130. The nighttime relative phase increased ~15 deg from 0200 to 0500, decreased ~15 deg by 0700, then increased ~10 deg by 0930.

Referring to figure 4, we see that the 18 March nighttime field strength was essentially constant until 0400. The nighttime field strength then rapidly decreased ~4 dB by 0600, and steadily increased ~4 dB by the end of the nighttime measurement period (1000). Meanwhile, the nighttime relative phase steadily increased ~15 deg from 0200 to 0500, rapidly decreased ~20 deg by 0700, then steadily increased ~10 deg by 1000. The relative phase then decreased to its normal daytime level by 1230.

On several occasions, we have also measured the vertical electric-field strength (E_v) produced by the WTF. The Connecticut vertical electric-field strength behavior is usually very similar to the horizontal magnetic-field strength (H_ϕ) behavior (in amplitude and relative phase) during both normal and disturbed propagation conditions. For further details, see figure 3 of reference 13.

On a few occasions, we have also measured the abnormal horizontal magnetic-field strength (H_p) produced by the WTF. Usually, accurate measurements of the H_p component can be made in Connecticut only during the late fall, winter, and early spring months, when the effective atmospheric noise is <-140 dBH. This is because the H_p component is 6 to 10 dB less in magnitude than the H_ϕ component, and the effective noise in the H_p direction is 1 to 3 dB greater than the effective noise in the H_ϕ direction.

During normal propagation conditions, the Connecticut abnormal horizontal magnetic-field strength (H_p) behavior is usually similar to the normal horizontal magnetic-field strength (H_ϕ) behavior. Presented in figure 5 is a comparison of the normal and abnormal Connecticut horizontal magnetic-field strengths during disturbed propagation conditions (17 to 18 March). Here, we see that, during the daytime and S RTP periods, the H_p and H_ϕ behavior was nearly the same. However, during the S STP and nighttime propagation periods, their behavior was quite different.

During 18 March, the S STP and nighttime H_ϕ field strength was essentially constant until 0400. The nighttime field strength then rapidly decreased ~4 dB by 0600, then steadily increased ~4 dB by the end of the nighttime measurement

period (1000). Meanwhile, the H_ϕ nighttime relative phase steadily increased ~ 15 deg from 0200 to 0500, rapidly decreased ~ 20 deg by 0700, then steadily increased ~ 10 deg by 1000. The relative phase then decreased to its normal daytime level by 1230.

On the other hand (figure 5), the H_ϕ field strength steadily decreased ~ 4 dB from the start of the SSTP to 0130, then increased ~ 3 dB by 0530. It then decreased ~ 3 dB by 0800 and rapidly increased ~ 2 dB by the end of the nighttime measurement period (1000). Meanwhile, the H_ϕ relative phase increased ~ 30 deg during the SSTP, decreased ~ 30 deg from 0100 to 0300, increased ~ 20 deg by 0600, and remained essentially constant during the rest of the nighttime measurement period.

CONNECTICUT APRIL 1978 MEASUREMENTS

During this time period, data were obtained on 27 days at the Connecticut site. The daily plots of signal strength (both amplitude and relative phase) versus GMT (in 30-min increments) are presented in appendix B. During April, the WTF antenna phasing angle was 291 deg and the transmitting frequency was 76 ± 4 Hz.

Presented in table 2 are the April 1978 daily field-strength averages. For a WTF antenna phasing angle of 291 deg, the average Connecticut field strength should equal -143.3 dBA/m during the day, -144.4 dBA/m during the SRTP and SSTP, and -145.5 dBA/m at night.⁷ Referring to table 2 and to the figures in appendix B, we see that, with the exception of the nighttime minimum field-strength period, the average field-strength levels are about as expected.

Amplitude peak-to-trough variations of 5 dB, or greater, occurred during 6 of the 27 days that included a nighttime measurement period (2, 4, 9, 19, 29, and 30 April). The largest variations (6 to 7 dB) occurred on 4, 19, and 30 April. These variations are illustrated in figures 6 and 7 and in appendix B.

Referring to figure 6, we see that both the 19 and 30 April nighttime field strengths rapidly decreased ~ 5 dB from 0400 to 0630. The field strengths then rapidly increased 6 to 7 dB from 0630 to 1100 and leveled off at the beginning of the daytime measurement period (1130). Meanwhile, during both nights, the relative phase increased ~ 20 deg from 0200 to 0500, decreased ~ 20 deg by 0700, increased ~ 10 deg by 0830, and returned to the normal daytime value at the end of the SRTP (1130).

Figure 7 is a comparison of the normal and abnormal Connecticut horizontal magnetic-field strengths measured during the disturbed propagation period of 3 to 4 April. Here, we see that, during the SSTP and SRTP, the H_ϕ and H_θ behavior was nearly the same. However, during the nighttime propagation period, their behavior was quite different.

During 3 to 4 April, the H_ϕ field strength steadily decreased ~ 6 dB from 2200 to 0500, rapidly increased ~ 4.5 dB from 0500 to 0700, and gradually

Table 2. April 1978 Connecticut Daily Field-Strength
Averages ($\psi = 291$ deg)

Date	SSTP H_{ϕ} (dBA/m)	Night H_{ϕ} (dBA/m)	SRTP H_{ϕ} (dBA/m)	Day H_{ϕ} (dBA/m)	Relative Phase (deg)	Peak/Trough ≥ 5 dB
4/1	-144.4	-145.8	-144.6	-143.3	22.1	No
4/2	-144.5	-146.3	-145.0	-143.4	17.5	Yes
4/3	-144.5	-145.9	-144.7	-143.6	22.3	No
4/4	-144.6	-146.3	-144.3	-143.2	22.0	Yes
4/5	-144.6	-145.3	-143.9	-143.2	21.4	No
4/6	-144.1	-145.3	-145.0	-143.1	22.3	No
4/7	-144.0	-145.2	-144.9	-143.0	18.1	No
4/8	-144.5	-145.6	-145.4	-143.3	18.0	No
4/9	-144.3	-145.8	-144.9	-143.6	21.1	Yes
4/10	-144.0	-145.5	-145.6	-144.1	18.2	No
4/11	-144.6	-145.1	-143.9	-143.7	17.3	No
4/12	-144.4	-144.4	-143.2	-143.1	17.7	No
4/13	-144.1	-144.7	-144.9	-143.6	25.1	No
4/14	-144.7	-145.9	-144.8	-143.8	18.2	No
4/15	-144.5	-145.8	-144.5	-143.3	19.3	No
4/19	-144.1	-145.9	-144.5	-143.3	19.5	Yes
4/20	-144.5	-145.8	-143.7	-143.3	23.4	No
4/21	-144.0	-145.4	-144.1	-143.3	23.6	No
4/22	-143.8	-144.9	-144.0	-143.4	23.3	No
4/23	-144.0	-145.5	-144.2	-143.2	13.6	No
4/24	-143.9	-145.9	-144.3	-143.5	17.0	No
4/25	-144.1	-145.1	-143.0	-143.3	20.8	No
4/26	-144.6	-145.2	-143.5	-143.3	20.1	No
4/27	-144.6	-145.9	-144.5	-143.8	22.3	No
4/28	-144.4	-146.1	-144.4	-143.3	-	No
4/29	-144.2	-145.9	-144.3	-143.5	16.9	Yes
4/30	-144.2	-146.3	-144.1	-143.8	16.0	Yes
Monthly Average	-144.3	-145.6	-144.4	-143.4	19.9	6/27 (22.2%)

increased by ~ 1 dB by the end of the S RTP. Meanwhile, the H_ϕ nighttime relative phase was relatively constant until 0500, decreased ~ 15 deg from 0500 to 0630, and gradually increased ~ 10 deg from 0630 to the end of the nighttime measurement period (0900).

On the other hand (figure 7), the H_ϕ field strength rapidly decreased ~ 4.5 dB from 2200 to 0100, then rapidly increased ~ 4 dB from 0100 to 0330. The H_ϕ field strength gradually decreased ~ 1 dB from 0330 to 0530, rapidly decreased ~ 4 dB from 0530 to 0630, and rapidly increased ~ 4 dB from 0630 to 0800. Then, it gradually increased by ~ 1 dB by the end of the S RTP (1130). Meanwhile, the H_ϕ relative phase gradually increased ~ 70 deg from 2200 to 0430 and gradually decreased ~ 60 deg from 0530 to 1200.

Referring to figures 1 through 7, we see that, during disturbed propagation conditions, the H_ϕ versus GMT plots are usually either V-shaped (decrease/increase) or U-shaped (decrease/level-off/increase). On the other hand, the H_ϕ versus GMT plots are W-shaped (decrease/increase/decrease/increase). From figures 5 and 7, we also see that, when the H_ϕ component is approaching its minimum nighttime value, the H_ϕ component is near its maximum nighttime value.

Simultaneous measurements^{9,15} taken in Connecticut and the North-Atlantic area during the magnetically quiet period of early March 1977 (where similar nighttime propagation anomalies occurred 2 to 4 hr apart) have indicated that a possible cause for some of these anomalies is a moving nocturnal sporadic-E layer.

Barr¹⁶ and Pappert and Moler¹⁷ have made calculations regarding the influence of a sporadic-E layer that encompasses the nighttime propagation path. They showed that the presence of nocturnal sporadic E produced marked maxima and minima in the propagation characteristics of ELF radio waves. One physical explanation for the enhanced absorption could be in terms of an attenuation resonance between waves reflected from normal E-region heights and from the sporadic-E region. They also showed that the polarization of ELF radio waves is very dependent on the presence of sporadic ionization.

The atypical behavior of the nighttime normal (H_ϕ) and abnormal (H_ϕ) horizontal magnetic-field strengths (figures 5 and 7) could well be an indication of the presence of a nocturnal sporadic-E layer. However, it should be noted that actual measurements of sporadic-E conditions have not been made at the receiving sites when WTF was transmitting. Attempts to explain the observed ELF signal fades in terms of absorption due to sporadic-E conditions can, therefore, not be conclusive, but the theoretical efforts in this area point out the potential influences of sporadic E on ELF propagation.

CONNECTICUT MAY 1978 MEASUREMENTS

During this time period, data were obtained on 27 days at the Connecticut site. The daily plots of signal strength (both amplitude and relative phase) versus GMT (in 30-min increments) are presented in appendix C. During May, the WTF antenna phasing angle was 291 deg and the transmitting frequency was 76 ± 4 Hz.

Presented in table 3 are the May 1978 daily field-strength averages. As we mentioned previously, for $\psi = 291$ deg, the average Connecticut field strength should equal -143.3 dBA/m during the day, -144.4 dBA/m during the SRTF and SSTF, and -145.5 dBA/m at night. Referring to table 3 and to the figures in appendix C, we see that, with the exception of (1) 2 through 8 May nighttime field strengths and (2) the minimum nighttime field-strength period, the average field-strength levels are about as expected.

Amplitude peak-to-trough variations of 5 to 5.5 dB occurred during 6 of the 27 days that included a nighttime measurement period (1, 10, 12, 17, 22, and 26 May). These variations are illustrated in figures in appendix C.

Turtle et al.¹⁸ have recently provided a summary of disturbance effects of energetic-particle events on very-low-frequency/low-frequency (VLF/LF) propagation parameters as observed by the U. S. Air Force High Resolution VLF/LF Ionosounder in northern Greenland during 1978. Disturbance effects on ionospheric reflecting parameters, including reflection heights and coefficients, were presented along with data from a riometer, a magnetometer, and satellite particle detectors.

One of the strongest 1978 solar-particle events occurred in late April. A polar-cap absorption (PCA) (9.8 dB riometer absorption) began at 1030 GMT on 29 April and the time of maximum 13 to 25 million electron volts (MEV) proton flux was 2000 on 30 April. This event caused a 20 to 25 km drop in the VLF reflection height at Thule, followed by a gradual return to normal over the next 5 days. This PCA event was also accompanied by sustained geomagnetic activity. From 30 April to 4 May, the geomagnetic A_k index for Fredericksburg, VA, was 30, 50, 55, 33, and 50, respectively.

Imhof et al.,¹⁹ from coordinated satellite and ELF field-strength measurements, have found that direct particle precipitation into the atmosphere can cause ELF transmission anomalies. In these anomalies, the signal strengths may be either attenuated or enhanced, depending on the spatial extent and location of the ionization. The effect appears to be due primarily to changes in the excitation factor.

Presented in figure 8 is a comparison of the Connecticut nighttime field strengths measured from 28 April through 7 May 1978. During normal propagation conditions, the average nighttime field strength should equal -145.5 dBA/m, and the average night-to-day relative-phase variation should equal -22 deg.

Referring to figure 8 and table 3, we see that the 28 April to 1 May nighttime field strengths were lower than normal with the lowest field strengths being measured on 30 April (the day after the PCA began). However, from 2 through 8 May, the nighttime field strengths were higher than normal, and the average night-to-day relative-phase variation was only -10 deg. These two factors imply a decrease in the 2 through 8 May nighttime average reflection height of 10 to 15 km. Because particle precipitation into the D region tends to increase ionization, making the ionosphere more "daylike" by lowering the effective reflecting height and improving excitation, the 2 through 8 May nighttime field-strength increases are as expected.

Table 3. May 1978 Connecticut Daily Field-Strength
Averages ($\psi = 291$ deg)

Date	SSTP H_{ϕ} (dBA/m)	Night H_{ϕ} (dBA/m)	SRTP H_{ϕ} (dBA/m)	Day H_{ϕ} (dBA/m)	Relative Phase (deg)	Peak/Trough ≥ 5 dB
5/1	-145.1	-146.4	-145.8	-142.8	-	Yes
5/2	-144.1	-144.9	-144.4	-143.0	11.0	No
5/3	-144.0	-144.7	-144.0	-143.6	11.5	No
5/4	-145.1	-144.7	-143.7	-142.6	8.2	No
5/5	-143.6	-143.9	-144.5	-143.4	6.9	No
5/6	-143.5	-144.0	-144.5	-143.3	11.2	No
5/7	-144.5	-144.7	-145.4	-143.7	12.1	No
5/8	-143.5	-144.7	-145.3	-143.3	-	No
5/9	-145.0	-145.2	-144.2	-143.3	18.8	No
5/10	-144.9	-145.5	-146.3	-143.3	22.9	Yes
5/11	-143.0	-144.4	-143.5	-143.1	24.5	No
5/12	-143.8	-145.9	-143.9	-143.4	16.5	Yes
5/13	-143.8	-145.1	-145.4	-143.1	26.4	No
5/16	-144.5	-145.6	-145.1	-143.5	20.1	No
5/17	-143.5	-144.3	-146.1	-143.2	23.9	Yes
5/18	-143.9	-145.3	-145.0	-143.5	18.8	No
5/20	-143.9	-145.3	-145.1	-143.2	23.5	No
5/21	-144.0	-144.8	-145.2	-143.0	20.8	No
5/22	-143.9	-145.2	-144.6	-142.9	20.5	Yes
5/23	-143.1	-144.6	-144.0	-143.2	19.8	No
5/24	-144.0	-145.2	-144.9	-143.7	19.2	No
5/26	-144.4	-146.4	-144.4	-143.1	19.5	Yes
5/27	-143.9	-145.2	-145.1	-143.3	22.4	No
5/28	-143.5	-144.3	-145.0	-143.2	21.1	No
5/29	-143.8	-143.6	-143.8	-143.2	18.2	No
5/30	-144.3	-145.5	-144.5	-143.2	19.8	No
5/31	-143.9	-145.0	-144.5	-143.0	18.2	No
Monthly Average	-144.0	-145.0	-144.7	-143.2	18.2	6/27 (22.2%)

CONCLUSIONS

The horizontal magnetic-field strength measurements taken in Connecticut from March through May 1978 again have demonstrated that the short-term sample-to-sample variability of ELF nighttime propagation is much greater than the short-term sample-to-sample variability of ELF daytime propagation.

During March 1978, 5 dB, or greater, nighttime signal fades occurred during 46 percent of the measurement days, which is almost identical to the 48 percent that occurred during March 1977.¹³ In particular, these March 1978 nighttime field-strength fades occurred during 8 straight days (11 through 18 March).

A comparison of the normal (H_ϕ) and abnormal (H_p) Connecticut nighttime horizontal magnetic-field strengths measured during disturbed propagation periods revealed that their behavior was quite different. This atypical behavior could well be an indication of a nocturnal sporadic-E layer.

Field-strength measurements were also taken before, during, and after the 29 April PCA event (9.8 dB riometer absorption). One day after the start of the PCA, the Connecticut nighttime field strength experienced a 5 dB fade. However, from 2 through 8 May, the nighttime field strengths were higher than normal, and the average night-to-day relative-phase variation was only -10 deg (as opposed to the normal of 22 deg). These two factors imply a decrease in the 2 through 8 May nighttime average reflection height of 10 to 15 km.




Figure 1. Connecticut Field Strength Versus GMT,
9 to 10 and 10 to 11 March 1978




Figure 2. Connecticut Field Strength Versus GMT,
11 to 12 and 12 to 13 March 1978




Figure 3. Connecticut Field Strength Versus GMT,
13 to 14 and 14 to 15 March 1978




Figure 4. Connecticut Field Strength Versus GMT,
15 to 16, 16 to 17, and 17 to 18 March 1978




Figure 5. Comparison of Normal and Abnormal Horizontal Magnetic-Field Strengths, 17 to 18 March 1978




Figure 6. Connecticut Field Strength Versus GMT, 18 to 19 and 29 to 30 April 1978




Figure 7. Comparison of Normal and Abnormal Horizontal Magnetic-Field Strengths, 3 to 4 April 1978




Figure 8. Connecticut Nighttime Field Strengths Versus GMT,
28 April Through 7 May 1978

REFERENCES

1. P. R. Bannister, F. J. Williams, J. R. Katan, and R. F. Ingram, Results of ELF Farfield Measurements Made in Connecticut, June 1970 - May 1973, NUSC Technical Report 4617, Naval Underwater Systems Center, New London, CT, 17 October 1973.
2. P. R. Bannister and F. J. Williams, ELF Field Strength Measurements Made in Connecticut From September 1973 Through January 1974, NUSC Technical Report 4719, Naval Underwater Systems Center, New London, CT, 6 May 1974.
3. P. R. Bannister and F. J. Williams, ELF Field Strength Measurements Made in Connecticut During 1974, NUSC Technical Report 4927, Naval Underwater Systems Center, New London, CT, 1 October 1975.
4. P. R. Bannister, ELF Effective Noise Measurements Taken in Connecticut During 1976, NUSC Technical Report 5681, Naval Underwater Systems Center, New London, CT, 5 August 1977.
5. P. R. Bannister and F. J. Williams, ELF Field Strength Measurements Made in Connecticut During 1975, NUSC Technical Report 5695, Naval Underwater Systems Center, New London, CT, 15 August 1977.
6. P. R. Bannister, ELF Field Strength Measurements Made in Connecticut During 1976, NUSC Technical Report 5853, Naval Underwater Systems Center, New London, CT, 11 September 1978.
7. P. R. Bannister et al., Extremely Low Frequency (ELF) Propagation, NUSC Scientific and Engineering Studies, Naval Underwater Systems Center, New London, CT, February 1980, 550 pp.
8. P. R. Bannister, ELF PVS Field Strength Measurements, January 1977, NUSC Technical Report 6879, Naval Underwater Systems Center, New London, CT, 21 March 1983.
9. P. R. Bannister, ELF PVS Field Strength Measurements, March 1977, NUSC Technical Report 6769, Naval Underwater Systems Center, New London, CT, 3 February 1983.
10. P. R. Bannister, ELF PVS Field Strength Measurements, April 1977, NUSC Technical Report 6771, Naval Underwater Systems Center, New London, CT, 3 February 1983.
11. P. R. Bannister, ELF PVS Field Strength Measurements, October 1977, NUSC Technical Report 6773, Naval Underwater Systems Center, New London, CT, 3 February 1983.
12. P. R. Bannister, ELF PVS Field Strength Measurements, January/February 1978, NUSC Technical Report 6775, Naval Underwater Systems Center, New London, CT, 3 February 1983.

13. P. R. Bannister, Connecticut ELF Field Strength Measurements, May to July 1977, NUSC Technical Report 6887, Naval Underwater Systems Center, New London, CT (in preparation).
14. J. E. Evans and A. S. Griffiths, "Design of a Sanguine Noise Processor Based Upon World-Wide Extremely Low Frequency (ELF) Recordings," IEEE Transactions on Communications, vol. COM-22, no. 4, 1974, pp. 528-539.
15. P. R. Bannister, "Localized ELF Nocturnal Propagation Anomalies," Radio Science, vol. 17, no. 3, 1982, pp. 627-634.
16. R. Barr, "The Effect of Sporadic E on the Nocturnal Propagation of ELF Radio Waves," Journal of Atmospheric and Terrestrial Physics, vol. 39, no. 11/12, 1977, pp. 1379-1387.
17. R. A. Pappert and W. F. Moler, "A Theoretical Study of ELF Normal Mode Reflection and Absorption Produced by Nighttime Ionospheres," Journal of Atmospheric and Terrestrial Physics, vol. 40, no. 9, 1978, pp. 1031-1045.
18. J. P. Turtle, J. E. Rasmussen, and W. I. Klemetti, Effects of Energetic Particle Events on VLF/LF Propagation Parameters/1978, Technical Report 81-82, Rome Air Development Center, Rome, NY, March 1981.
19. W. L. Imhof, J. B. Reagan, E. E. Gaines, T. R. Larsen, J. R. Davis, and W. Moler, "Coordinated Measurements of ELF Transmission and the Precipitation of Energetic Particles into the Ionosphere," Radio Science, vol. 13, no. 8/9, 1974, pp. 717-727.

Appendix A

CONNECTICUT DAILY DATA, MARCH 1978

Daily plots of Connecticut signal-strength, effective-noise, and SNR values versus GMT for March 1978 are given in this appendix as figures A-1 through A-14.




Figure A-1. Connecticut Data Versus GMT ($\psi = 291$ deg),
3 March 1978




Figure A-2. Connecticut Data Versus GMT ($\psi = 291$ deg),
4 March 1978




Figure A-3. Connecticut Data Versus GMT ($\psi = 291$ deg),
5 March 1978

3/6/78




Figure A-4. Connecticut Data Versus GMT ($\psi = 291$ deg),
6 March 1978




Figure A-5. Connecticut Data Versus GMT ($\psi = 291$ deg),
7 March 1978




Figure A-6. Connecticut Data Versus GMT ($\psi \approx 201$ deg),
8 and 9 March 1978




Figure A-7. Connecticut Data Versus GMT ($\psi = 201$ deg),
10 and 11 March 1978




Figure A-8. Connecticut Data Versus GMT ($\psi = 201$ deg),
12 and 13 March 1978




Figure A-9. Connecticut Data Versus GMT ($\psi = 201$ deg),
14 and 15 March 1978




Figure A-10. Connecticut Data Versus GMT ($\psi = 201$ deg),
16 Through 18 March 1978




Figure A-11. Connecticut Data Versus GMT ($\psi = 291$ deg),
21 and 22 March 1978




Figure A-11. Connecticut Data Versus GMT ($\psi = 291$ deg),
21 and 22 March 1978




Figure A-12. Connecticut Data Versus GMT ($\psi = 291$ deg),
23 and 24 March 1978




Figure A-13. Connecticut Data Versus GMT ($\psi = 291$ deg),
25 and 26 March 1978




Figure A-14. Connecticut Data Versus GMT ($\psi = 291$ deg),
28 Through 30 March 1978

Appendix B

CONNECTICUT DAILY DATA, APRIL 1978

Daily plots of Connecticut signal strength (both amplitude and relative phase) versus GMT for April 1978 are given in this appendix as figures B-1 through B-13.




Figure B-1. Connecticut Data Versus GMT ($\psi = 291$ deg),
1 and 2 April 1978




Figure B-2. Connecticut Data Versus GMT ($\psi = 291$ deg),
3 and 4 April 1978




Figure B-3. Connecticut Data Versus GMT ($\psi = 291$ deg),
5 and 6 April 1978




Figure B-4. Connecticut Data Versus GMT ($\psi = 291$ deg),
7 and 8 April 1978




Figure B-5. Connecticut Data Versus GMT ($\psi = 291$ deg),
9 and 10 April 1978




Figure B-6. Connecticut Data Versus GMT ($\psi = 291$ deg),
11 and 12 April 1978




Figure B-7. Connecticut Data Versus GMT ($\psi = 291$ deg),
13 and 14 April 1978




Figure B-8. Connecticut Data Versus GMT ($\psi = 291$ deg),
15 and 19 April 1978




Figure B-9. Connecticut Data Versus GMT ($\psi = 291$ deg),
20 and 21 April 1978




Figure B-10. Connecticut Data Versus GMT ($\psi = 291$ deg),
22 and 23 April 1978




Figure B-11. Connecticut Data Versus GMT ($\psi = 291$ deg),
24 and 25 April 1978




Figure B-12. Connecticut Data Versus GMT ($\psi = 291$),
26 and 27 April 1978




Figure B-13. Connecticut Data Versus GMT ($\psi = 291$ deg),
28 Through 30 April 1978

Appendix C

CONNECTICUT DAILY DATA, MAY 1978

Daily plots of Connecticut signal strength (both amplitude and relative phase) versus GMT for May 1978 are given in this appendix as figures C-1 through C-12.




Figure C-1. Connecticut Data Versus GMT ($\psi = 291$ deg),
1 Through 3 May 1978




Figure C-2. Connecticut Data Versus GMT ($\psi = 291$ deg),
4 Through 6 May 1978




Figure C-3. Connecticut Data Versus GMT ($\psi = 291$ deg),
7 Through 9 May 1978




Figure C-4. Connecticut Data Versus GMT ($\psi = 291$ deg),
10 and 11 May 1978




Figure C-5. Connecticut Data Versus GMT ($\psi = 291$ deg),
12 and 13 May 1978




Figure C-6. Connecticut Data Versus GMT ($\psi = 291$ deg),
16 and 17 May 1978




Figure C-7. Connecticut Data Versus GMT ($\psi = 291$ deg),
18 and 20 May 1978




Figure C-8. Connecticut Data Versus GMT ($\psi = 291$ deg),
21 and 22 May 1978




Figure C-9. Connecticut Data Versus GMT ($\psi = 291$ deg),
23 and 24 May 1978




Figure C-10. Connecticut Data Versus GMT ($\psi = 291$ deg),
26 and 27 May 1978




Figure C-11. Connecticut Data Versus GMT ($\psi = 291$ deg),
28 and 29 May 1978




Figure C-12. Connecticut Data Versus GMT ($\psi = 291$ deg),
30 and 31 May 1978

INITIAL DISTRIBUTION LIST

Addressee	No. of Copies
DARPA	3
DTIC	15
ONR (Code 425GG (J. Heacock), 42810 (R. G. Joiner))	2
ASN (T. P. Quinn (for C3), H. Hull (Rm SE 779)	2
NRL (Library, Dr. J. R. Davis (Code 7550), Dr. Frank Kelly)	3
NOSC (Library, R. A. Pappart, D.G. Morfitt, J. A. Ferguson, J. Bickel, F. P. Snyder, C. F. Ramstedt, P. Hansen, K. Grauer, W. Hart)	10
NAVELECSYSCOM (PME 110-11 (Dr. G. Brunhart), PME 110-X1 (Dr. Bodo Kruger), PME 110)	3
NAVAL SURFACE WEAPONS CENTER, WHITE OAK LAB. (J. J. Holmes, P. Wessel, K. Bishop, R. Brown, J. Cunningham, B. DeSavage, Library)	7
DWTNSRDC ANNA (W. Andahazy, F. E. Baker, P. Field, D. Everstine, B. Hood, D. Nixon)	6
NAVPGSCOL, MONTEREY (O. Heinz, P. Moose, A. Ochadlik, M. Thomas, W. M. Tolles, Library)	6
NCSC (K. R. Allen, R. H. Clark, M. J. Wynn, M. Cooper, E. Moritz, Library)	5
DIRECTOR, DEFENSE NUCLEAR AGENCY, RAAE, DDST, RAEV	3
R&D Associates, P.O. Box 9695, Marina del Rey, CA 90291 (C. GREIFINGER, P. Greifinger)	2
Pacific-Sierra Research Corp., 1456 Cloverfield Boulevard, Santa Monica, CA 90404 (E. C. Field)	1
Johns Hopkins University, Applied Physics Laboratory, Laurel, MD 20810 (L. Hart, J. Giannini, H. Ko, I Sugai)	4
University of California, Scripps Institute of Oceanography (C. S. Cox (Code A-030), H. G. Booker, J. Filloux, P. Young)	5
Lockheed Palo Alto Research Laboratory (W. Imhof, J. B. Reagan, E. E. Gaines, R. C. Gunton, R. E. Meyerott)	5
University of Texas, Geomagnetism and Electrical Geoscience Laboratory (F. X. Bostick, Jr.)	1
COMMANDER, AIR FORCE GEOPHYSICS LABORATORY (J. Aarons)	1
COMMANDER, ROME AIR DEVELOPMENT CENTER (J. P. Turtle, J. E. Rasmussen, W. I. Klemetti, P. A. Kossey, E. F. Altschuler)	5
Applied Science Associates, Inc., (Dr. Gary S. Brown) 105 E. Chatham St., Apex, NC 27502	1
Computer Sciences Corp., Falls Church, VA 22046 (D. Blumberg, Senator R. Mellenberg, R. Heppe, F. L. Eisenbarth)	4
MIT Lincoln Labs. (M. L. Burrows, D. P. White, D. K. Willim, S. L. Bernstein, I. Richer)	5
Electromagnetic Sciences Lab. SRI International, Menlo Park, CA 94015 (Dr. David M. Bubenik)	1
Communications Research Centre (Dr. John S. Belrose) P.O. Box 11490, Station "H" Shirley Bay, Ottawa, Ontario, Canada K2H8S2	1
Dr. Joseph P. deBettencourt, 18 Sterling St., West Newton, MA 02165	1
Dr. Marty Abromavage, IITRE, Div. E., 10W 35th St., Chicago, IL 60616	1

INITIAL DISTRIBUTION LIST (Cont'd)

Addressee	No. of Copies
Mr. Larry Ball, U.S. Dept. of Energy NURE Project Office, P.O. Box 2567, Grand Junction, CO 81502	1
STATE DEPARTMENT ACDA MA-AT, Rm. 5499, Washington, DC 20451 (ADM T. Davies, R. Booth, N. Carrera)	3
GTE Sylvania, (R. Row, D. Boots, D. Esten) 189 B. St. Needham, MA 02194	3
HARVARD UNIVERSITY, Gordon McKay Lab. (Prof. R. W. P. King, Prof. T. T. Wu)	2
University of Rhode Island, Dept. of Electrical Engineering (Prof. C. Polk)	1
University of Nebraska, Electrical Engineering Dept., (Prof. E. Bahar)	1
University of Toronto, EE Dept. (Prof. Keith Balmain)	1
NOAA/ERL (Dr. Donald E. Barrick)	1
University of Colorado, EE Dept. (Prof. Peter Beckmann)	1
Geophysical Observatory, Physics & Eng. Lab. DSIR Christchurch, New Zealand (Dr. Richard Barr)	1
General Electric Co., (C. Zierdt, A. Steinmayer) 3198 Chestnut St., Philadelphia, PA 19101	2
University of Arizona, Elec. Eng. Dept., Bldg. 20 (Prof. J. W. Wait) Tuscon, AZ 85721	1
U.S. NAVAL ACADEMY, Dept. of Applied Science (Dr. Frank L. Chi)	1
Stanford University, Radioscience Laboratory (Dr. Anthony Fraser-Smith), Durand Bldg., Rm. 205	1
Stanford University, Stanford Electronics Laboratory (Prof. Bob Helliwell)	1
Colorado School of Mines, Department of Geophysics (Prof. A. Kaufman)	1
Prof. George V. Keller, Chairman, Group Seven, Inc., Irongate II, Executive Plaza, 777 So. Wadsworth Blvd., Lakewood, CO 80226	1
NOAA, Pacific Marine Environ, Lab. (Dr. Jim Larsen)	1
MIT, Dept. of Earth/Planetary Sciences, Bldg. 54-314 (Prof. Gene Simmons)	1
Colorado School of Mines (Dr. C. Stoyer)	1
University of Victoria, (Prof. J. Weaver) Victoria, B.C. V8W 2Y2 Canada	1
Mr. Donald Clark, c/o Naval Security Group Command, 3801 Nebraska Ave., NW, Washington, DC 20390	1
Prof. R. L. Dube, 13 Fairview Rd., Wilbraham, MA 01095	1
U.S. Geological Survey, Rm. 1244 (Dr. Frank C. Frischknecht) Denver, CO 80225	1
Mr. Larry Ginsberg, Mitre Corp., 1820 Dolly Madison Bldg. McLean, VA 22102	1
Dr. Robert Morgan, Rt. 1, Box 187, Cedaredge, CO 81413	1
Mr. A. D. Watt, Rt. 1, Box 183 1/2, Degaredge, CO 81413	1
Dr. E. L. Maxwell, Atmospheric Sciences Dept., Colorado State University, Fort Collins, CO	1
Mr. Al Morrison, Purvis Systems, 3530 Camino Del Rio North, Suite 200, San Diego, CA 92108	1

INITIAL DISTRIBUTION LIST (Cont'd)

Addressee	No. of Copies
NDRE, Division for Electronics (Dr. Trygve Larsen) P.O. Box 25, Kjeller, Norway	1
Belden Corp., Technical Research Center (Mr. Douglas O'Brien) Geneva, Illinois	1
University of Pennsylvania (Dr. Ralph Showers) Moore School of Elec. Eng., Philadelphia, PA 19174	1
University of Houston, Director, Dept of Elec. Eng. (Prog. Liang C. Shen)	1
The University of Connecticut, Physics Dept., (Prof. O. R. Gilliam), Storrs, CT 06268	1
Dr. David J. Thomson, Defence Research Establishment Pacific, F.M.O., Victoria, B.C., Canada	1
Dr. Robert Hansen, Box 215, Tarzana, CA 91356	1
The University of Kansas, Remote Sensing Laboratory (Prof. R. K. Moore) Center for Research, Inc., Lawrence, Kansas	1
OT/ITS U.S. Dept. of Commerce (Dr. David A. Hill), Boulder, CO Office of Telecommunications, Inst. for Telecommunications Services (Dr. Douglas D. Crombie, Director), Boulder, CO	1
University of Colorado, Dept. of Electrical Eng. (Prof. David C. Chang)	1
Dr. K. P. Spies, ITS/NTIA, U.S. Dept. of Commerce	1
The University of Connecticut, Dept. of Electrical Eng. & Computer Sci., Storrs, CT (Prof. Clarence Schultz, Prof. Mahmond A. Melehy)	2
Dr. Richard G. Geyer, 670 S. Estes St., Lakewood, CO	1
University of California, Lawrence Livermore Lab., (R. J. Lytle, E. K. Miller, R. J. King)	3
Kings College, Radiophysics Group (Prof. D. Llanwyn-Jones) Strand, London WC2R 2LS, England	1
Istituto di Electtrotecnica, Facotta di Ingegneria (Prof. Giorgio Tacconi) Viale Combiasso 6, 16145 Genova, Italy	1
Universite des Sciences de Lille (Prof. R. Gabillard) B. P. 36-59650 Villeneuve D'Ascq, Lille, France	1
Arthur D. Little, Inc., (Dr. A. G. Emslie, Dr., R. L. Lagace, R&D Div., Acorn Park, Cambridge, MA 02140	1
University of Colorado, Dept. of Electrical Eng. (Prof. S. W. Maley)	1
University of Washington, EE Dept. (Prof. A. Ishimaru) Seattle	1
Dr. Svante Westerland, Kiruna Geofysiska Institute S981 01 Kiruna 1, Sweden	1
Dr. Harry C. Koons, The Aerospace Corp., P.O. Box 92957, Los Angeles, CA 90009	1
Dr. Albert Essmann, Hoogewinkel 46, 23 Kiel 1, West Germany	1
Glenn S. Smith, School of Elec. Eng. Georgia Tech. Atlanta, GA	1
Dr. T. Lee, CIRES, Campus Box 449, University of Colorado	1
Dr. Jack Williams, RCA Camden, Mail Stop 1-2, Camden, NJ 08102	1
Dr. Joseph Czika, Science Applications, Inc., 840 Westpark Dr. McLean, VA 22101	1
Mr. Arnie Farstad, 390 So. 69th St., Boulder, CO 80303	1

INITIAL DISTRIBUTION LIST (Cont'd)

Addressee	No. of Copies
NATO SACLANT ASW CENTER (Library)	1
USGS, Branch of Electromagnetism and Geomagnetism (Dr. James Towle) Denver, CO	1
NOAA, Pacific Maine Environ. Lab. (Dr. Jim Larsen)	1
University of Texas at Dallas, Geosciences Division, (Dr. Mark Landisman)	1
University of Wisconsin, Lewis G. Weeks Hall, Dept. of Geology and Geophysics (Dr. C. S. Clay)	1
Argonne National Laboratory, Bldg. 12 (Dr. Tony Vallentino)	1
IITRE, Div. E, Chicago (Dr. Marty Abromavage)	1
The University of Manitoba, Elec. Eng. Dept. (Prof. A. Mohsen)	1
Mr. Jerry Pucillo, Analytical Systems, Engineering Corp., Newport, RI 02840	1
Dr. Misac N. Nabighian, Newmont Exploration Ltd., Tuscon	1
Dr. Fred Raab, Pohemus, P.O. Box 298, Essex Junction, VT 05452	1
Dr. Louis H. Rorden, President, Develco, Inc., 404 Tasman Dr. Sunnyvale, CA 94086	1
Dr. Eivind Trane, NDRE, P.O. Box 25, 2007 Kjeller, Norway	1
RCA David Sarnoff Research Center (K. Powers, J. Zennel, L. Stetz, H. Staras)	4
University of Illinois, Aeronomy Laboratory (Prof. C. F. Sechrist)	1
Dr. Cullen M. Crain, Rand Corp., Santa Monica, CA	1
Radioastronomisches Institute der Universität Bonn (Dr. H. Volland), 5300 Bonn-Endenich, Auf dem Hiigel 71 West Germany	1
Dr. John P. Wikswo, Jr., P.O. Box 120062 Acklen Station, Nashville	1
Mr. Lars Brock-Nannestad, DDRB Osterbrogades Kaserne, 2100 CVopenhagen O, Denmark	1
Institut de Physique du Globe (Dr. Edonard Selzer) 11 Quai St., Bernard, Tour 24 Paris Ve, France	1
Elektrophysikalisches Institut (Dr. Herbvert König) Technische Hochschule, Arcisstrasse 21, 8 Munich 2, West Germany	1
Raytheon Company (Dr. Mario Grossi) Portsmouth, RI	1
NISC, Code 00W (Mr. M. A. Koontz) Washington, DC	1
Polytechnic Institute of Brooklyn (Prof. Leo Felsen)	1
NOAA/ERL (Dr. Earl E. Gossard) R45X7, Boulder, CO 80302	1
Dr. George H. Hagn, SRI-Washington, Rosslyn Plaza, Arlington, VA	1
NOAA/ERL (Dr. C. Gordon Little) R45	1
Goddard Space Flight Ctr. (Dr. S. J. Durrani) Code 800.1	1
ITS, Office of Telecon (Dr. Ken Steele) Boulder, CO 80302	1
NTIA/ITS, U.S. Dept. of Commerce (Dr. A. D. Spaulding)	1
Stanford University, Elec. Eng. Dept. (Dr. O. G. Villard, Jr.)	1
Dr. D. Middleton, 127 East 91st St., New York, NY 10028	1
University of California, Elec. Eng. & Computer Sci. Dept., Prof. K. K. Mei)	1
California Inst. of Technology, Jet Propulsion Lab., (Dr. Yahya Rahmat-Samii)	1

INITIAL DISTRIBUTION LIST (Cont'd)

Addressee	No. of Copies
Raytheon Service Co. (Dr. M. Soyda) Mt. Laurel, NJ 08054	1
MITRE M/S W761 (Dr. W. Foster) McLean, VA	1
Max-Planck-Institut fur Aeronomie (Prof. P. Stubbe) 3400 Katlenburg-Lindau 3 FRG	1
University of Otago, Physics Dept. (Prof. R. L. Dowden) Dunedin, New Zealand	1
University of Leicester, Physics Dept. (Prof. T. B. Jones) Leicester, England	1
Naval Weapons Center, China Lake, Code 3814 (Dr. R. J. Dinger)	1
Dr. Claudia D. Tesche, Lutech, Inc., P.O. Box 1263, Berkeley	1
National Aeronautical Est., National Research Council, Flight Research Lab., (Dr. C. D. Harwick) Ottawa, K1A0R6, Canada	1
Colorado Research and Prediction Laboratory, Inc. (Dr. R. H. Doherty, Dr. J. R. Johler) Boulder, CO	2
University of Alberta, Physics Dept. (Prof. R. P. Singh) Edmonton, Alberta, Canada	1
ARF Products Inc., (Mr. Larry Stolarczyk), Raton, NM	1
NAVSEA, Code 63R	1
Rockwell Int'l Space Transportation Division, (Dr. David G. Aviv), Mail Stop AA-81, 12214 Lakewood Blvd., Downey, CA 90241	1
Arizona State University, School of Engineering, Dept. of Electrical and Computer Engineering, (Prof. Constantine A. Balanis), Tempe, AZ 85287	1
University of Massachusetts, Dept. of Electrical and Computer Engineering, (Prof. Robert E. McIntosh), Amherst, MA 01003	1
Cairo University, Faculty of Engineering Electronics & Comm. Dept., (Dr. Samir F. Mahmond), Giza, Egypt	1

